

Appl. No. 09/722,147  
Amdt. Dated October 25, 2004  
Response to Office action of September 9, 2004

3

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1-13. (Cancelled)

14. (Currently amended) A viewing device for interacting with a human discernable interface surface provided on a substrate, the device including:

at least one sensor for sensing coded data on or in a substrate and for generating first data based at least partly on the coded data;

a transmitter for transmitting, to a computer system, said first data, or second data at least partially based on the first data;

a receiver for receiving, from the computer system, at least display data associated with an identity derived from the first data;

at least one display device for outputting visual information based at least partially on said display data, the visual information corresponding to at least part of the human discernable interface,

a printer mechanism for printing on the substrate;

a user interface and control means operable to cause the printer mechanism to print markings on the substrate based at least partially on user input to thereby allow ~~the~~ a user to interact with the part of the human discernable interface; and,

wherein the ~~viewing device for interacting~~ is configured and arranged such that the sensor is operative to sense the coded data when the ~~viewing display~~ device is positioned, in use, at least partly overlapping the substrate.

15. (Currently amended) A ~~viewing device for interacting~~ according to claim 14, wherein the display device at least partly overlaps the sensor device, such that the sensor device is positioned between the display device and the coded data when the device for interacting is in use.

**BEST AVAILABLE COPY**

Appln No. 09/722,147  
Amdt. Dated October 25, 2004  
Response to Office action of September 9, 2004

4

16. (Currently amended) A ~~viewing~~-device for interacting according to claim 14, wherein the printer device is configured to print printed data corresponding at least partly with, or based at least partly upon, the display data or visual information.
17. (Cancelled)
18. (Cancelled)
19. (Currently amended) A ~~viewing~~-device for interacting according to claim 14, wherein the user interface includes a touch-sensitive overlay.
20. (Currently amended) A ~~viewing~~-device for interacting according to claim 19, wherein the printer mechanism is configured to print markings on the substrate as a user interacts with the touch-sensitive overlay.
21. (Currently amended) A ~~viewing~~-device for interacting according to claim 20, wherein the printer mechanism prints markings on the substrate as a user has completed interaction with the touch-sensitive overlay.
22. (Currently amended) A ~~viewing~~-device for interacting according to claim 21, wherein user input to the touch-sensitive overlay is uploaded to the computer system and the computer system downloads data based on the uploaded data for printing on the substrate.
23. (Currently amended) A ~~viewing~~-device for interacting according to claim 15, wherein the visual information represents a portion of an electronic document, the electronic document having been used as a basis for generation of the human discernable interface on the substrate.

Appl. No. 09/722,147  
Amtd. Dated October 25, 2004  
Response to Office action of September 9, 2004

5

24. (Currently amended) A ~~viewing~~-device for interacting according to claim 23, wherein the visual information replicates at least some of the human discernable interface.
25. (Currently amended) A ~~viewing~~-device for interacting according to claim 23, wherein the human discernable interface is visible to an average unaided human eye.
26. (New) A device for interacting according to claim 14, wherein the user interface includes a touch-sensitive overlay, and wherein the device for interacting prints markings on the substrate at a position aligned with a point at which the user touches the touch-sensitive overlay.
27. (New) A device for interacting according to claim 14, wherein the device for interacting is configured to display visual information corresponding to at least part of the human discernable interface at a position aligned with the at least part of the human discernable interface on the substrate.
28. (New) A device for interacting according to claim 14, wherein the human discernable interface surface includes at least one field, and wherein the device for interacting is configured to:
- display visual information corresponding to the at least one field; and,
- print markings in the at least one field based at least partially on user input.
29. (New) A device for interacting, according to claim 28, wherein the human discernable interface is a form.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**